



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 09-APR-25 to 03-JUN-25

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 22			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	2025	2024	2023			
Blood-borne diseases[2]														
Hepatitis B (newly acquired)	1					2	1		8	15	8	3	1.3	2.3
Hepatitis B (unspecified)	11	8	8	13	12	18	19	11	229	222	187	60	33.9	1.8
Hepatitis C (newly acquired)	2	4	2	3	1	1			44	54	44	2	8.3	0.2
Hepatitis C (re-infection newly acquired)				1	1			1	4	6	7	2	0.9	2.1
Hepatitis C (unspecified)	19	14	11	16	20	12	13	24	352	350	340	69	57.8	1.2
Hepatitis D		1		1					6	8	2	0	0.6	0.0
Enteric diseases														
Campylobacteriosis	56	64	59	86	107	78	53	33	1672	1968	2092	271	252.9	1.1
Cholera									1	0	0	0	0.0	0.0
Cryptosporidiosis	50	29	36	48	32	26	5	6	1040	456	88	69	27.5	2.5
Hepatitis A				2					12	10	6	0	0.5	0.0
Listeriosis									4	1	2	0	0.3	0.0
Paratyphoid fever		1							7	4	10	0	0.5	0.0
Rotavirus	13	8	9	7	12	7	4		181	377	516	23	35.0	0.7
STEC/VTEC infection	7	4	5	7	2	4	3	2	86	94	126	11	10.4	1.1
Salmonellosis	36	32	19	37	40	21	18	14	731	856	763	93	102.5	0.9
Shigellosis	5	2	10	7	14	6		1	222	242	184	21	23.3	0.9
Typhoid				1					10	10	13	0	0.5	0.0
Vibrio parahaemolyticus	1	2			1		2	1	11	15	2	4	0.6	6.7
Yersiniosis	4	3	3	3		5	3	1	82	23	45	9	2.8	3.2
Sexually transmissible infections														
Chlamydia (genital)	258	187	232	245	257	251	241	99	5421	5756	5549	848	889.7	1.0
Gonorrhoea	113	61	98	94	119	108	102	28	2157	2302	1920	357	298.1	1.2
Syphilis (congenital)									2	0	0	0	0.2	0.0
Syphilis - Infectious	21	10	13	14	13	14	10		325	289	324	37	57.1	0.6
Syphilis - Non-Infectious	10	4	5	3	14	7	3	2	114	112	106	26	18.7	1.4
Vaccine preventable diseases														
Diphtheria									2	0	2	0	0.1	0.0
Influenza	321	215	273	290	320	359	498	394	7587	3309	6514	1571	1247.2	1.3
Measles	2	1			1				19	2	1	1	0.0	0.0
Pertussis	29	41	28	47	35	35	34	7	851	189	21	111	12.0	9.3
Pneumococcal infection	7	8	3	2	7	7	2	1	72	83	73	17	17.9	1.0
Tetanus									1	0	0	0	0.0	0.0
Varicella (chicken pox)	6	7	5	15	6	7	4		190	225	183	17	34.1	0.5
Varicella (shingles)	40	37	51	46	51	35	15	1	955	1106	1113	102	188.0	0.5
Varicella (unspecified)	50	40	48	69	56	74	74	48	1180	1132	1162	252	161.5	1.6
Vector-borne diseases														
Barmah Forest virus						1	1		8	12	19	2	2.3	0.9
Chikungunya			2		2		1		9	4	5	3	0.3	11.3
Dengue fever	3	7	7	8	7	2	3	1	230	291	89	13	20.3	0.6
Malaria	1			1			1		10	26	22	1	2.3	0.4
Murray Valley encephalitis virus									3	4	6	0	0.5	0.0
Ross River virus	21	9	7	10	1	1			302	163	152	2	30.6	0.1
Typhus		1	1				2		20	17	11	2	1.9	1.1
Zoonotic diseases														
Leptospirosis									1	0	3	0	0.2	0.0
Q Fever	1			1					7	4	3	0	0.9	0.0
Other diseases														
Acute post-streptococcal glomerulonephritis					1	1			11	15	6	2	1.5	1.3
Creutzfeldt-Jakob disease									1	2	2	0	0.9	0.0
Haemolytic Uraemic Syndrome					1				1	0	2	1	0.1	15.0
Legionellosis		3		1	1	1			23	28	34	2	7.9	0.3
Leprosy									2	0	0	0	0.1	0.0
Melioidosis		2			2		1		8	5	3	3	0.5	5.6
Meningococcal infection	3	1							5	4	3	0	1.1	0.0
Monkeypox virus				1		2	1		14	0	2	3	0.1	45.0
RSV	80	72	76	102	120	124	119	88	1753	1486	1116	451	264.5	1.7
Tuberculosis	2	4	4	10		4	2	11	88	88	54	17	11.1	1.5
iGAS	6	4	2	4	2	3	1		70	104	97	6	11.8	0.5
Grand Total	1179	886	1017	1195	1258	1216	1236	774						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 22			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]	
	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	2025	2024	2023				
Blood-borne diseases[2]															
Hepatitis B (newly acquired)	1					1	1			6	12	3	2	1.1	1.9
Hepatitis B (unspecified)	9	7	6	8	11	13	13	9		192	186	157	46	27.9	1.6
Hepatitis C (newly acquired)	1	4	1	1	1	1				32	40	39	2	6.7	0.3
Hepatitis C (unspecified)	16	13	9	10	16	10	11	15		268	263	251	52	41.7	1.2
Hepatitis D		1		1						6	7	2	0	0.4	0.0
Enteric diseases															
Campylobacteriosis	42	54	43	73	91	62	46	25		1338	1523	1661	224	197.1	1.1
Cholera										1	0	0	0	0.0	0.0
Cryptosporidiosis	48	27	30	39	27	21	4	5		895	392	45	57	20.3	2.8
Hepatitis A				1						9	9	6	0	0.4	0.0
Listeriosis										3	1	2	0	0.3	0.0
Paratyphoid fever		1								6	4	9	0	0.5	0.0
Rotavirus	12	7	8	5	10	6	3			163	346	454	19	28.8	0.7
STEC/VTEC infection	2	1	1	3	1	2	3	1		39	47	76	7	5.7	1.2
Salmonellosis	23	24	15	29	27	15	16	11		553	669	550	69	74.7	0.9
Shigellosis	4	2	9	6	12	4				171	185	143	16	15.7	1.0
Typhoid				1						9	8	11	0	0.2	0.0
Vibrio parahaemolyticus	1	1			1		1	1		9	13	2	3	0.5	5.6
Yersiniosis	4	2	3	3		5	3	1		78	21	36	9	2.4	3.8
Sexually transmissible infections															
Chlamydia (genital)	208	148	182	197	196	207	189	81		4262	4519	4349	673	696.9	1.0
Gonorrhoea	80	49	70	74	82	84	79	22		1576	1732	1400	267	206.5	1.3
Syphilis (congenital)										1	0	0	0	0.1	0.0
Syphilis - Infectious	14	7	10	9	9	11	4			225	183	195	24	35.6	0.7
Syphilis - Non-Infectious	8	3	5	3	11	4	2	2		86	65	64	19	11.5	1.7
Vaccine preventable diseases															
Diphtheria										0	0	2	0	0.1	0.0
Influenza	228	152	216	226	275	303	415	332		5538	2501	4824	1325	903.9	1.5
Measles	2				1					9	2	1	1	0.0	0.0
Pertussis	18	33	20	38	25	24	23	6		628	65	17	79	4.3	18.2
Pneumococcal infection	5	7	2	2	3	5	1	1		45	49	45	10	9.8	1.0
Tetanus										1	0	0	0	0.0	0.0
Varicella (chicken pox)	4	7	3	14	5	5	2			134	184	141	12	26.4	0.5
Varicella (shingles)	25	26	29	19	32	17	5			558	717	719	54	126.1	0.4
Varicella (unspecified)	48	38	47	67	56	73	69	43		1144	1088	1120	241	154.6	1.6
Vector-borne diseases															
Barmah Forest virus						1				4	7	5	1	0.8	1.3
Chikungunya			1		2		1			6	4	5	3	0.2	15.0
Dengue fever	3	6	4	8	5	1	1	1		180	225	70	8	16.1	0.5
Malaria				1			1			5	20	19	1	1.9	0.5
Ross River virus	14	6	5	6	1					201	59	77	1	16.6	0.1
Typhus			1							10	9	9	0	0.9	0.0
Zoonotic diseases															
Q Fever	1			1						7	3	1	0	0.6	0.0
Other diseases															
Creutzfeldt-Jakob disease										1	2	1	0	0.8	0.0
Legionellosis		3		1	1	1				15	21	23	2	5.3	0.4
Leprosy										1	0	0	0	0.1	0.0
Melioidosis										1	1	1	0	0.2	0.0
Meningococcal infection	1	1								3	3	1	0	0.7	0.0
Monkeypox virus				1		2	1			14	0	1	3	0.1	45.0
RSV	63	50	61	81	88	95	82	70		1299	989	882	335	212.1	1.6
Tuberculosis	1	4	4	8		4	2	9		79	72	49	15	10.1	1.5
iGAS	3	3		2		2	1			33	60	61	3	6.3	0.5
Grand Total	889	687	785	938	989	979	979	635							

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)		1 (1)						1 (2)	
Hepatitis B (unspecified)	3	12 (4)		1	7 (11)		5	27 (18)	
Hepatitis C (newly acquired)					2 (4)			(5)	
Hepatitis C (re-infection newly acquired)									
Hepatitis C (unspecified)	3	9 (11)		10	27 (22)		2	16 (21)	
Hepatitis D									
Enteric diseases									
Campylobacteriosis	8	72 (81)		10	72 (66)		7	80 (81)	
Cholera									
Cryptosporidiosis	3	24 (33)		1	23 (14)		1	10 (10)	
Hepatitis A		(1)							
Listeriosis								(2)	
Paratyphoid fever									
Rotavirus		4 (26)			9 (20)			6 (22)	
STEC/VTEC infection	1	1 (3)			5 (1)			1	
Salmonellosis	3	25 (28)		6	26 (27)		2	18 (27)	
Shigellosis		5 (12)			2 (7)			9 (15)	
Typhoid									
Vibrio parahaemolyticus	1	1 (1)			(1)			2	
Yersiniosis	1	3 (1)			2 (1)			4	
Sexually transmissible infections									
Chlamydia (genital)	21	218 (251)		16	185 (239)		44	270 (314)	
Gonorrhoea	4	52 (65)		6	78 (89)		12	137 (125)	
Syphilis (congenital)									
Syphilis - Infectious		1 (6)			9 (12)			14 (13)	
Syphilis - Non-Infectious		8 (2)		1	3 (4)		1	8 (6)	
Vaccine preventable diseases									
Diphtheria									
Influenza	108	471 (258)		107	375 (147)		117	479 (197)	
Measles					1				
Mumps		(1)						(1)	
Pertussis	1	24 (10)		1	20 (2)		5	35 (2)	
Pneumococcal infection		4 (7)		1	5 (3)			1 (4)	
Tetanus									
Varicella (chicken pox)		3 (11)			4 (14)			5 (15)	
Varicella (shingles)		14 (39)			12 (38)			28 (47)	
Varicella (unspecified)	17	95 (68)		13	80 (59)		13	66 (70)	
Vector-borne diseases									
Barmah Forest virus					1 (1)				
Chikungunya					1 (1)			2	
Dengue fever	1	3 (19)			3 (20)			2 (16)	
Malaria								1 (2)	
Murray Valley encephalitis virus									
Ross River virus		(5)			1 (2)			(1)	
Typhus									
Zoonotic diseases									
Q Fever								(2)	
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis		(1)			(2)			2	
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus		1			1			1	
RSV	24	123 (121)		20	101 (76)		26	111 (93)	
Tuberculosis	2	4 (9)		2	3 (3)		5	8 (8)	
iGAS		(4)			2 (2)			1 (4)	
Grand Total	201	1178 *****		195	1060 (888)		240	1345 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)		2					3		
Hepatitis C (newly acquired)					(2)				
Hepatitis C (re-infection newly acquired)	1	1		1	1				
Hepatitis C (unspecified)	1	4 (1)		1	1 (2)		1	2	
Hepatitis D									
Enteric diseases									
Campylobacteriosis	4	19 (26)		1	2 (6)		1	8 (9)	
Cholera									
Cryptosporidiosis		4 (6)						1 (1)	
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		1 (2)					1		
STEC/VTEC infection	1	1 (1)			(2)		1		
Salmonellosis		5 (7)		2	2 (1)		2		
Shigellosis		(2)						(1)	
Typhoid									
Vibrio parahaemolyticus		1							
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	3	37 (40)			2 (14)		1	14 (17)	
Gonorrhoea	1	14 (16)			1 (1)			3 (3)	
Syphilis (congenital)									
Syphilis - Infectious		1							
Syphilis - Non-Infectious		2			(1)			2	
Vaccine preventable diseases									
Diphtheria									
Influenza	25	105 (43)		6	33 (11)		7	33 (14)	
Measles									
Mumps									
Pertussis		6 (15)		1	6			8	
Pneumococcal infection		2 (4)			2			(1)	
Tetanus									
Varicella (chicken pox)		2 (4)			(1)			(1)	
Varicella (shingles)		23 (29)			5 (21)		2	4 (7)	
Varicella (unspecified)		2 (2)		1	3 (1)				
Vector-borne diseases									
Barmah Forest virus									
Chikungunya									
Dengue fever		1 (8)			1 (3)			(1)	
Malaria									
Murray Valley encephalitis virus									
Ross River virus		1 (3)							
Typhus								1	
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome		1							
Legionellosis		(3)							
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV	4	31 (35)		6	25 (24)		1	5 (1)	
Tuberculosis									
iGAS		(2)						(1)	
Grand Total	40	266 (249)		18	84 (90)		13	88 (57)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (newly acquired)									
Hepatitis B (unspecified)					2		1	2	
Hepatitis C (newly acquired)					(1)				
Hepatitis C (re-infection newly acquired)									
Hepatitis C (unspecified)		2 (2)		2	3 (3)		2	3 (2)	
Hepatitis D									
Enteric diseases									
Campylobacteriosis		3 (5)			3 (9)			2 (5)	
Cholera									
Cryptosporidiosis		1 (4)			1		1	4 (2)	
Hepatitis A									
Listeriosis									
Paratyphoid fever									
Rotavirus		(3)			1			1 (1)	
STEC/VTEC infection					(1)			1	
Salmonellosis		2 (4)			2 (1)			4 (7)	
Shigellosis								1 (8)	
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)	3	20 (15)		3	23 (32)		5	25 (34)	
Gonorrhoea	2	6 (7)			12 (18)		1	20 (10)	
Syphilis (congenital)									
Syphilis - Infectious		2 (4)			(7)			3 (3)	
Syphilis - Non-Infectious		(6)			1			(2)	
Vaccine preventable diseases									
Diphtheria									
Influenza	12	36 (17)		1	2 (24)		6	19 (30)	
Measles									
Mumps									
Pertussis		(3)			4 (6)			(2)	
Pneumococcal infection		2 (1)			1			(2)	
Tetanus									
Varicella (chicken pox)		(1)			(1)				
Varicella (shingles)		3 (6)			3 (8)			5 (4)	
Varicella (unspecified)		2 (3)		1	1		1	1 (1)	
Vector-borne diseases									
Barmah Forest virus								1	
Chikungunya									
Dengue fever		(1)			(1)				
Malaria									
Murray Valley encephalitis virus									
Ross River virus		(1)			(1)			(6)	
Typhus									
Zoonotic diseases									
Q Fever									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)		2							
Creutzfeldt-Jakob disease									
Haemolytic Uraemic Syndrome									
Legionellosis		(1)							
Leprosy									
Melioidosis									
Meningococcal infection									
Monkeypox virus									
RSV		29 (2)		2	7 (5)		1	3 (26)	
Tuberculosis		(1)							
iGAS		(2)			2 (1)			(1)	
Grand Total	17	110 (89)		9	68 (119)		18	95 (146)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (newly acquired)		1		0	3 (3)	0.0
Hepatitis B (unspecified)	1	3		11	60 (34)	0.0
Hepatitis C (newly acquired)				0	2 (15)	0.0
Hepatitis C (re-infection newly acquired)				1	2 (3)	0.0
Hepatitis C (unspecified)		(4)		24	69 (68)	0.0
Hepatitis D				0	0 (1)	0.0
Enteric diseases						
Campylobacteriosis		3 (2)		33	271 (296)	0.0
Cholera				0	0 (0)	0.0
Cryptosporidiosis		1		6	69 (70)	0.0
Hepatitis A				0	0 (1)	0.0
Listeriosis				0	0 (0)	0.0
Paratyphoid fever				0	0 (2)	0.0
Rotavirus				0	23 (78)	0.0
STEC/VTEC infection		1		2	11 (9)	0.0
Salmonellosis	1	5 (2)		14	93 (108)	0.0
Shigellosis	1	4 (1)		1	21 (47)	0.0
Typhoid				0	0 (0)	0.0
Vibrio parahaemolyticus				1	4 (3)	0.0
Yersiniosis				1	9 (2)	0.0
Sexually transmissible infections						
Chlamydia (genital)	1	42 (37)		99	848*****	0.0
Gonorrhoea	2	29 (25)		28	357 (364)	0.0
Syphilis (congenital)				0	0 (0)	0.0
Syphilis - Infectious		6 (5)		0	37 (52)	0.0
Syphilis - Non-Infectious		(1)		2	26 (23)	0.0
Vaccine preventable diseases						
Diphtheria				0	0 (0)	0.0
Influenza	2	6 (66)		394	1571 (816)	0.0
Measles				0	1 (0)	0.0
Mumps				0	0 (3)	0.0
Pertussis		9 (1)		8	112 (41)	0.0
Pneumococcal infection		(1)		1	17 (23)	0.0
Tetanus				0	0 (0)	0.0
Varicella (chicken pox)		3 (1)		0	17 (49)	0.0
Varicella (shingles)		4 (10)		2	103 (209)	0.0
Varicella (unspecified)				47	251 (210)	0.0
Vector-borne diseases						
Barmah Forest virus				0	2 (1)	0.0
Chikungunya				0	3 (1)	0.0
Dengue fever				1	13 (72)	0.0
Malaria				0	1 (4)	0.0
Murray Valley encephalitis virus				0	0 (1)	0.0
Ross River virus		(2)		0	2 (23)	0.0
Typhus		1		0	2 (0)	0.0
Zoonotic diseases						
Q Fever				0	0 (2)	0.0
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	2 (1)	0.0
Creutzfeldt-Jakob disease				0	0 (1)	0.0
Haemolytic Uraemic Syndrome				0	1 (0)	0.0
Legionellosis				0	2 (7)	0.0
Leprosy				0	0 (0)	0.0
Melioidosis		1		0	3 (1)	0.0
Meningococcal infection				0	0 (1)	0.0
Monkeypox virus				0	3 (0)	0.0
RSV	3	14 (11)		88	451 (400)	0.0
Tuberculosis				11	17 (21)	0.0
iGAS		1 (4)		0	6 (22)	0.0
Grand Total	11	134 (173)		775	4485 (4100)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 22	
	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	2025	2024
	Salmonella Total	36	32	19	37	40	21	18	14	731
Serotype/Phage										
Salmonella Aberdeen									1	0
Salmonella Adelaide									5	2
Salmonella Agona	2			2					7	12
Salmonella Albany									2	1
Salmonella Amsterdam									1	0
Salmonella Anatum					1				2	7
Salmonella Bahrenfeld				1					1	0
Salmonella Bareilly						2			24	1
Salmonella Bonn	1								3	1
Salmonella Bovismorbificans		1							7	16
Salmonella Braenderup				1					3	2
Salmonella Bredeney									2	2
Salmonella Carnac									1	0
Salmonella Cerro	1								2	5
Salmonella Chailey									2	2
Salmonella Chester	1	2	1		1	1			21	42
Salmonella Choleraesuis bv Australia						1	1		9	8
Salmonella Choleraesuis bv Decatur			1		1				8	8
Salmonella Concord									1	0
Salmonella Corvallis									2	3
Salmonella Eastbourne						2			3	2
Salmonella Emek				1	2				6	2
Salmonella Enteritidis	3	3	5	8	2		2		65	81
Salmonella Give	1								1	0
Salmonella Hadar									1	1
Salmonella Haifa									1	1
Salmonella Havana	1					1			4	5
Salmonella Heidelberg			1	2		1			6	3
Salmonella Hessarek									1	1
Salmonella Hindmarsh									1	0
Salmonella Hvittingfoss				1	1				7	6
Salmonella Infantis	1	1		1	1				17	29
Salmonella Irumu									1	0
Salmonella Javiana			1						1	1
Salmonella Johannesburg									3	4
Salmonella Kentucky		1		1		1			11	8
Salmonella Kiambu		1				1			8	3
Salmonella Lansing	1								1	2
Salmonella Lexington									1	1
Salmonella Litchfield									2	1
Salmonella Mbandaka									0	4
Salmonella Mississippi									1	1
Salmonella Molade									1	0
Salmonella Muenchen									10	21
Salmonella Muenster									1	1
Salmonella Muenster var 15+			1						2	1
Salmonella Newport		3		1	2				19	13
Salmonella Ohio									1	1
Salmonella Oranienburg	1			1					5	1

Weekly Report for period 09-APR-25 to 03-JUN-25

	15/04	22/04	29/04	06/05	13/05	20/05	27/05	03/06	Cumulative Total to end of Week 22	
									2025	2024
Salmonella Total	36	32	19	37	40	21	18	14	731	818
Serotype/Phage										
Salmonella Orientalis									1	0
Salmonella Oslo									1	1
Salmonella Paratyphi B bv Java	1	4	1	2	2	3	1		54	59
Salmonella Poona					1				2	1
Salmonella Potsdam									6	2
Salmonella Reading	1					1			6	2
Salmonella Rissen					1		1		2	10
Salmonella Rubislaw							1		2	0
Salmonella Ruiru									0	0
Salmonella Saintpaul		1	1	3		3			19	18
Salmonella Schwarzengrund						1			2	2
Salmonella Senftenberg									2	6
Salmonella Singapore									2	6
Salmonella Stanley	1			1	1	1			21	11
Salmonella Tennessee	1								5	3
Salmonella Thompson					1				6	1
Salmonella Typhimurium	15	7	4	2	5	2			141	282
Salmonella Virchow				3	1				30	11
Salmonella Wandsworth						1			1	0
Salmonella Wangata									4	3
Salmonella Welikade									2	0
Salmonella Weltevreden	1	1		1	1				14	8
Salmonella Zanzibar	1								2	0
Salmonella species	2	7	3	5	12	3	12	14	119	86
Salmonella subsp 1 ser 4,5:i:-									1	0
Salmonella subsp IV									1	0