



Department of Health

STATEWIDE NOTIFIABLE DISEASES WEEKLY REPORT

Epidemiology & Surveillance Program
Communicable Disease Control Directorate

Report for eight week period 25-DEC-25 to 18-FEB-26

GENERAL NOTES

1. Data are extracted on a weekly basis from the Western Australian Notifiable Infectious Diseases Database (WANIDD).
2. Data are provisional only and are subject to change.
3. For enquiries please contact the Communicable Disease Control Directorate (9222 0255) or a regional Public Health Unit.

SPECIFIC NOTES (numbers below refer to numbers in square brackets in tables)

1. If a disease is not listed it indicates that no notifications have been received in the preceding 12 months.
2. "Date of Onset" is a composite of the "true" date of onset provided by the notifying doctor, the date of specimen collection for laboratory notified cases, and when neither of these dates are available, the date of notification by the doctor or laboratory, or the date of receipt of the notification, whichever is earliest.

For blood-borne viruses (whether newly acquired or unspecified), leprosy, syphilis (non-infectious) and tuberculosis, data are provided by date of receipt at the PHU/CDCD.
3. Defined as mean of previous, comparable and subsequent 4-week periods for the past five years. For example, if the current 4-week period is April 2nd - 29th 2017, then this period is compared to the mean number of cases for fifteen 4-week intervals made up of March 5th - April 1st 2016, April 2nd - 29th 2016, and April 30th - May 27th 2016, and the corresponding periods for 2015, 2014, 2013 and 2012. That is, the comparison figure should represent an average expectation of the number of cases for a similar 4-week period of the year. For diseases that have been notifiable for less than 5 years, the mean figure for periods prior to the disease becoming notifiable will be 0.
4. Ratio = ratio of last 4 weeks total to mean of 15 four-week periods, as described in specific note 3.
5. Figures in parentheses are numbers of cases in corresponding period last year. If no figure appears, this indicates there were no cases.
6. Cumulative year-to-date rate. That is, total cases in the current year, divided by relevant population, expressed as cases per 100,000 population (crude notification rate). Population data are estimates based on Australian Bureau of Statistics population projection series 'B' for Western Australia using the Department of Health's Rates Calculator to derive regional populations.

Weekly surveillance reports can be accessed at:

http://ww2.health.wa.gov.au/Articles/F_I/Infectious-disease-data/Statewide-notifiable-diseases-weekly-report

STATEWIDE notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 7			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	31/12	07/01	14/01	21/01	28/01	04/02	11/02	18/02	2026	2025	2024			
Blood-borne diseases[2]														
Hepatitis B (unspecified)	3	6	10	11	8	16	13	14	78	68	63	51	32.6	1.6
Hepatitis C (newly acquired)	1	1	3	2	3	1	3		13	11	12	7	6.6	1.1
Hepatitis C (re-infection unspecified)				1					1	0	0	0	0.0	0.0
Hepatitis C (unspecified)	9	10	11	28	17	20	19	17	122	105	98	73	62.9	1.2
Hepatitis D			1				1		2	2	4	1	0.7	1.4
Enteric diseases														
Campylobacteriosis	78	133	133	115	112	110	81	29	713	645	738	332	330.1	1.0
Cholera									0	1	0	0	0.1	0.0
Cryptosporidiosis	5	10	8	4	6	3	2	1	34	312	93	12	69.7	0.2
Hepatitis A	1	1	1	1		1			4	7	3	1	1.9	0.5
Listeriosis		1					1		2	2	0	1	0.4	2.5
Paratyphoid fever									0	4	0	0	1.0	0.0
Rotavirus	40	44	43	30	33	20	7	1	178	75	117	61	50.0	1.2
STEC/VTEC infection	1	6	5	6	7	2	2	2	30	23	47	13	18.5	0.7
Salmonellosis	16	24	39	30	25	28	30	7	183	247	216	90	130.6	0.7
Shigellosis	7	7	17	8	6	9	5		52	103	65	20	29.1	0.7
Typhoid					1	1			2	7	3	2	2.3	0.9
Vibrio parahaemolyticus	1	1				1			2	3	7	1	1.5	0.7
Yersiniosis		4	4	6	1	1	3	2	21	12	6	7	4.9	1.4
Sexually transmissible infections														
Chlamydia (genital)	111	185	273	265	218	255	261	87	1544	1864	1845	821	943.5	0.9
Gonorrhoea	75	106	137	160	149	127	119	29	827	727	776	424	315.1	1.3
Syphilis (congenital)									0	0	0	0	0.3	0.0
Syphilis - Infectious	7	15	17	6	11	9	17	2	77	113	89	39	60.5	0.6
Syphilis - Non-Infectious	5	5	7	6	5	7	8	7	45	33	29	27	17.9	1.5
Vaccine preventable diseases														
Diphtheria						1	1		2	1	0	2	0.2	10.0
Influenza	229	260	211	165	132	134	138	57	1097	2207	874	461	454.7	1.0
Measles	4			1			1		2	1	0	1	0.5	2.1
Mumps									0	3	0	0	0.6	0.0
Pertussis	34	44	49	36	31	29	18	8	215	331	39	86	41.9	2.1
Pneumococcal infection	2	4	2	3	2	2	3		16	14	11	7	9.3	0.8
Tetanus									0	0	0	0	0.1	0.0
Varicella (chicken pox)	14	15	5	9	5	7	10		51	83	51	22	33.5	0.7
Varicella (shingles)	38	44	46	29	38	39	39	14	249	369	341	130	205.7	0.6
Varicella (unspecified)	50	50	76	60	54	56	74	30	400	379	342	214	186.0	1.2
Vector-borne diseases														
Barmah Forest virus				1		1			2	4	3	1	1.8	0.6
Chikungunya	1	1	1				1		3	2	2	1	0.7	1.4
Dengue fever	1	7	13	6	8	7	4	1	46	111	49	20	20.2	1.0
Malaria		1	2		2	2	1		8	3	8	5	2.7	1.8
Murray Valley encephalitis virus									0	2	0	0	0.3	0.0
Ross River virus	15	13	14	15	5	3	7		57	89	58	15	62.6	0.2
Typhus	5	2			3				5	5	6	3	2.4	1.3
Zika virus									0	0	0	0	0.0	0.0
Zoonotic diseases														
Leptospirosis									0	0	0	0	0.3	0.0
Psittacosis									0	1	0	0	0.1	0.0
Q Fever									0	3	0	0	0.6	0.0
Other diseases														
Acute post-streptococcal glomerulon	2			1	1				2	4	4	1	1.5	0.7
Creutzfeldt-Jakob disease									0	0	1	0	0.3	0.0
Haemolytic Uraemic Syndrome									0	0	0	0	0.1	0.0
Legionellosis	2	1	1	2	1			1	6	7	9	2	4.1	0.5
Leprosy									0	2	0	0	0.1	0.0
Melioidosis						1			1	1	2	1	0.5	2.1
Meningococcal infection	1				2				2	1	0	2	0.8	2.5
Mpox				1					1	10	0	0	0.9	0.0
RSV	46	52	67	51	64	53	63	28	378	462	260	208	204.7	1.0
Tuberculosis	7	2	3	1	3	3	1	4	17	21	18	11	11.8	0.9
iGAS	8	4	7	3	8	5	3		30	30	30	16	12.2	1.3
Grand Total	819	1059	1206	1063	961	954	936	341						

METROPOLITAN notifications for past 8 weeks[1] (by date of onset[2])

Disease Category/Disease	Week Ending								Cumulative Total to end of week 7			Total Last 4 Weeks	Mean of 15 x 4 week periods[3]	Ratio [4]
	31/12	07/01	14/01	21/01	28/01	04/02	11/02	18/02	2026	2025	2024			
Blood-borne diseases[2]														
Hepatitis B (unspecified)	2	6	8	9	5	14	10	13	65	61	51	42	26.6	1.6
Hepatitis C (newly acquired)		1	1		3		3		8	8	9	6	5.4	1.1
Hepatitis C (re-infection unspecified)				1					1	0	0	0	0.0	0.0
Hepatitis C (unspecified)	7	6	9	21	15	13	13	14	91	80	71	55	45.4	1.2
Hepatitis D			1				1		2	2	4	1	0.7	1.4
Enteric diseases														
Campylobacteriosis	53	99	100	87	90	81	64	22	543	533	586	257	261.8	1.0
Cholera									0	1	0	0	0.1	0.0
Cryptosporidiosis	3	7	7	4	3	1		1	23	273	78	5	57.2	0.1
Hepatitis A	1	1	1	1		1			4	7	2	1	1.7	0.6
Listeriosis		1					1		2	2	0	1	0.3	3.0
Paratyphoid fever									0	3	0	0	0.9	0.0
Rotavirus	33	40	39	25	29	18	6	1	158	70	108	54	45.1	1.2
STEC/VTEC infection	1	1	1	3	2	1	1	1	10	10	25	5	10.9	0.5
Salmonellosis	11	13	33	23	15	18	25	7	134	183	159	65	98.3	0.7
Shigellosis	4	6	15	8	5	8	2		44	82	53	15	21.0	0.7
Typhoid					1				1	7	3	1	2.1	0.5
Vibrio parahaemolyticus	1	1				1			2	3	6	1	1.3	0.8
Yersiniosis		3	4	5	1	1	2	2	18	12	6	6	4.3	1.4
Sexually transmissible infections														
Chlamydia (genital)	83	137	205	198	169	202	212	75	1198	1447	1444	658	741.4	0.9
Gonorrhoea	57	83	101	119	114	88	92	23	620	514	575	317	219.5	1.4
Syphilis (congenital)									0	0	0	0	0.1	0.0
Syphilis - Infectious	3	10	7	5	7	8	12	2	51	77	56	29	38.1	0.8
Syphilis - Non-Infectious	5	3	4	5	4	7	6	7	36	22	13	24	11.1	2.2
Vaccine preventable diseases														
Diphtheria									0	0	0	0	0.1	0.0
Influenza	185	213	169	139	115	115	123	45	919	1639	721	398	328.3	1.2
Measles	4			1			1		2	1	0	1	0.3	3.8
Mumps									0	2	0	0	0.4	0.0
Pertussis	28	37	42	31	25	19	17	8	179	226	21	69	29.4	2.3
Pneumococcal infection	1	3		3		1	2		9	5	6	3	4.9	0.6
Tetanus									0	0	0	0	0.1	0.0
Varicella (chicken pox)	11	8	4	7	4	6	6		35	57	42	16	25.2	0.6
Varicella (shingles)	25	27	26	22	25	26	22	9	157	235	234	82	134.6	0.6
Varicella (unspecified)	49	46	73	59	54	56	71	30	389	371	326	211	179.3	1.2
Vector-borne diseases														
Barmah Forest virus									0	3	2	0	0.5	0.0
Chikungunya	1	1					1		2	1	2	1	0.7	1.5
Dengue fever	1	5	11	5	5	6	4	1	37	86	39	16	15.3	1.0
Malaria		1	1		1	2	1		6	2	6	4	2.1	1.9
Ross River virus	2	3	5	8	3				19	60	17	3	37.1	0.1
Typhus	2	1			2				3	3	2	2	1.1	1.9
Zika virus									0	0	0	0	0.0	0.0
Zoonotic diseases														
Leptospirosis									0	0	0	0	0.1	0.0
Q Fever									0	3	0	0	0.3	0.0
Other diseases														
Acute post-streptococcal glomerulon	1				1				1	2	4	1	0.7	1.5
Creutzfeldt-Jakob disease									0	0	1	0	0.3	0.0
Legionellosis	2	1	1	1	1			1	5	2	6	2	2.7	0.7
Leprosy									0	1	0	0	0.1	0.0
Melioidosis									0	1	1	0	0.1	0.0
Meningococcal infection	1				2				2	1	0	2	0.7	3.0
Mpox				1					1	10	0	0	0.9	0.0
RSV	34	36	49	40	45	35	47	23	275	340	190	150	137.9	1.1
Tuberculosis	7	1	3	1	3	3	1	2	14	20	14	9	10.4	0.9
iGAS	6	3	2	2	4	3	2		16	14	17	9	7.5	1.2
Grand Total	624	804	922	834	753	734	748	287						

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Metropolitan area (North)			Metropolitan area (South)			Metropolitan area (East)		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)	2	12 (10)	1.9	2	9 (13)	2.5	9	21 (14)	3.5
Hepatitis C (newly acquired)		1 (1)	0.1		3 (3)	0.5		2 (1)	0.4
Hepatitis C (re-infection unspecified)						0.1			
Hepatitis C (unspecified)	3	9 (11)	2.1	8	26 (22)	5.5	3	20 (23)	3.8
Hepatitis D								1 (1)	0.2
Enteric diseases									
Campylobacteriosis	6	87 (89)	22.4	7	82 (86)	22.3	9	88 (96)	22.1
Cryptosporidiosis	1	2 (100)	1.1		(56)	0.7		3 (61)	1.1
Hepatitis A					1 (1)	0.3		(4)	0.2
Listeriosis					1	0.1			0.1
Rotavirus		24 (16)	7.9		9 (12)	4.8	1	21 (10)	6.6
STEC/VTEC infection		1 (3)	0.2	1	3	0.7		1 (3)	0.4
Salmonellosis	2	24 (34)	5.3	4	23 (40)	6.7	1	18 (38)	4.6
Shigellosis		3 (15)	1.6		2 (13)	1.2		10 (20)	2.6
Typhoid		1	0.1						
Vibrio parahaemolyticus		1	0.1		(2)	0.1			
Yersiniosis	2	3 (3)	0.7		1 (2)	0.8		2 (1)	0.7
Sexually transmissible infections									
Chlamydia (genital)	23	212 (258)	43.8	20	186 (271)	46.3	32	260 (282)	56.7
Gonorrhoea	6	83 (85)	19.7	6	85 (83)	23.0	11	149 (122)	33.1
Syphilis - Infectious	1	8 (11)	1.1		9 (15)	1.8	1	12 (17)	3.3
Syphilis - Non-Infectious	1	3 (5)	0.6	2	6 (6)	1.0	4	15 (3)	2.7
Vaccine preventable diseases									
Diphtheria									
Influenza	25	155 (359)	46.1	10	110 (252)	32.9	10	133 (282)	33.7
Measles					1 (1)	0.3			
Pertussis	4	38 (54)	10.3	1	14 (26)	6.0	3	17 (35)	5.7
Pneumococcal infection		1 (1)	0.2		1 (1)	0.4		1	0.5
Varicella (chicken pox)		3 (7)	1.2		5 (4)	1.3		8 (18)	1.8
Varicella (shingles)	5	31 (44)	7.3	1	22 (40)	5.3	3	29 (43)	6.6
Varicella (unspecified)	8	69 (75)	15.7	8	69 (66)	15.8	14	73 (77)	16.3
Vector-borne diseases									
Barmah Forest virus									
Chikungunya			0.1					1	0.1
Dengue fever		9 (16)	2.4		3 (15)	0.8	1	4 (14)	1.3
Malaria					3	0.7		1 (2)	0.1
Ross River virus		(11)	0.2		(17)	1.4		3 (13)	0.7
Typhus		1	0.2		1 (2)	0.1			
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)					1	0.1			
Legionellosis		(2)	0.1			0.1	1	2	0.4
Melioidosis									
Meningococcal infection		1 (1)	0.1		1	0.1			
Mpox								(1)	0.1
RSV	7	54 (79)	12.6	7	53 (61)	10.8	9	43 (82)	10.4
Tuberculosis	1	4 (6)	0.6		3	0.5	1	2 (8)	0.6
iGAS		1 (1)	0.1		5 (4)	1.3		3	0.6
Grand Total	97	841 *****		77	738 *****		113	943 *****	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Southwest			Great Southern			Coastal and Wheatbelt		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)		3	1.9		1 (1)	1.5			1.2
Hepatitis C (newly acquired)			0.5		(3)	3.0			
Hepatitis C (re-infection unspecified)									
Hepatitis C (unspecified)		4 (4)	2.4	1	4 (3)	8.9		1 (1)	7.4
Hepatitis D									
Enteric diseases									
Campylobacteriosis	4	33 (23)	34.7	1	4 (9)	20.8		5 (9)	19.6
Cryptosporidiosis		(8)	1.9						
Hepatitis A									
Listeriosis									
Rotavirus		4 (1)	3.9			1.5		2	4.9
STEC/VTEC infection	1	2 (2)	3.4					1	2.5
Salmonellosis		6 (6)	6.3		(4)	3.0		2 (3)	8.6
Shigellosis			0.5						
Typhoid		1	0.5						
Vibrio parahaemolyticus									
Yersiniosis			0.5					1	1.2
Sexually transmissible infections									
Chlamydia (genital)	3	35 (53)	30.9	2	10 (7)	31.2	3	10 (18)	29.5
Gonorrhoea	1	18 (14)	14.0		2	7.4	1	4 (6)	9.8
Syphilis - Infectious								1 (1)	3.7
Syphilis - Non-Infectious		1	1.0		(1)	1.5			
Vaccine preventable diseases									
Diphtheria									
Influenza	5	26 (57)	33.3		8 (10)	31.2	2	6 (6)	17.2
Measles									
Pertussis		11 (12)	8.7		5 (5)	20.8			
Pneumococcal infection					1 (1)	3.0			
Varicella (chicken pox)		1 (1)	1.4		1 (2)	3.0		(3)	6.1
Varicella (shingles)	3	21 (30)	17.4	1	9 (11)	25.3		(12)	2.5
Varicella (unspecified)			0.5			1.5		2 (1)	3.7
Vector-borne diseases									
Barmah Forest virus		1	1.0						
Chikungunya									
Dengue fever		1 (4)	1.4					1 (1)	2.5
Malaria		1	0.5						
Ross River virus		8 (10)	12.5		3	7.4		(2)	3.7
Typhus									
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									1.2
Legionellosis			0.5						
Melioidosis									
Meningococcal infection									
Mpox									
RSV	2	9 (11)	9.2	1	4 (3)	8.9		4 (2)	12.3
Tuberculosis	1	1	0.5			1.5			
iGAS								2	2.5
Grand Total	20	187 (236)		6	52 (60)		6	42 (65)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Midwest			Goldfields			Pilbara		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]									
Hepatitis B (unspecified)	1	2	2.8		1 (3)	3.4			
Hepatitis C (newly acquired)		1	2.8						
Hepatitis C (re-infection unspecified)									
Hepatitis C (unspecified)	1	2 (3)	4.2	1	2 (2)	5.2	2		5.0
Hepatitis D									
Enteric diseases									
Campylobacteriosis		10 (7)	26.9	2	10 (2)	27.5	5 (5)		24.9
Cryptosporidiosis		6 (7)	8.5				1 (2)		1.7
Hepatitis A									
Listeriosis									
Rotavirus							(1)		3.3
STEC/VTEC infection		1	1.4		1	1.7	1		8.3
Salmonellosis		5 (7)	8.5		2 (5)	5.2	3 (7)		14.9
Shigellosis		3 (3)	4.2				(2)		1.7
Typhoid									
Vibrio parahaemolyticus									
Yersiniosis									
Sexually transmissible infections									
Chlamydia (genital)		19 (24)	58.0	3	21 (40)	67.1	1	24 (34)	78.0
Gonorrhoea	2	10 (5)	28.3		7 (38)	32.7	1	24 (17)	73.0
Syphilis - Infectious		1 (2)	7.1				1 (1)		3.3
Syphilis - Non-Infectious							(1)		1.7
Vaccine preventable diseases									
Diphtheria									
Influenza	4	12 (16)	41.0		1 (5)	12.1	1	4 (47)	14.9
Measles									
Pertussis		1	2.8		(2)	1.7			
Pneumococcal infection		1	1.4		1	1.7	1		3.3
Varicella (chicken pox)		1 (3)	2.8		1 (1)	1.7			
Varicella (shingles)	1	6 (6)	19.8		3 (10)	8.6	2 (6)		8.3
Varicella (unspecified)		1 (1)	1.4			1.7			
Vector-borne diseases									
Barmah Forest virus									
Chikungunya									1.7
Dengue fever		1	2.8		1	1.7			
Malaria			1.4						
Ross River virus					(1)	1.7			
Typhus		1	1.4						1.7
Other diseases									
Acute post-streptococcal glomerulonephritis (APS)									
Legionellosis									
Melioidosis									
Meningococcal infection									
Mpox									
RSV		9 (8)	19.8		2 (3)	3.4	1	7 (11)	24.9
Tuberculosis									
iGAS		2 (2)	4.2		1 (2)	5.2			
Grand Total	9	95 (94)		6	54 (114)		4	75 (134)	

Notifications in last week and for last 4 weeks by REGION[1] (by date of onset[2])

Disease Category/Disease	Kimberley			STATE TOTAL		
	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]	Last Week	Last 4 Weeks[5]	Cum. YTD Rate[6]
Blood-borne diseases[2]						
Hepatitis B (unspecified)		1 (1)	2.5	14	51 (43)	2.6
Hepatitis C (newly acquired)				0	7 (8)	0.4
Hepatitis C (re-infection unspecified)				0	0 (0)	0.0
Hepatitis C (unspecified)		3 (2)	9.8	17	73 (72)	4.0
Hepatitis D				0	1 (1)	0.1
Enteric diseases						
Campylobacteriosis		6 (2)	19.6	29	332 (332)	23.6
Cryptosporidiosis				1	12 (242)	1.1
Hepatitis A				0	1 (5)	0.1
Listeriosis				0	1 (1)	0.1
Rotavirus			7.4	1	61 (40)	5.9
STEC/VTEC infection		2 (1)	9.8	2	13 (11)	1.0
Salmonellosis		6 (7)	14.7	7	90 (151)	6.0
Shigellosis		1 (2)	2.5	0	20 (58)	1.7
Typhoid				0	2 (5)	0.1
Vibrio parahaemolyticus				0	1 (2)	0.1
Yersiniosis				2	7 (6)	0.7
Sexually transmissible infections						
Chlamydia (genital)		25 (42)	186.5	87	821*****	51.0
Gonorrhoea		32 (29)	154.6	29	424 (403)	27.3
Syphilis - Infectious		7 (10)	34.4	2	39 (64)	2.5
Syphilis - Non-Infectious		2 (1)	12.3	7	27 (22)	1.4
Vaccine preventable diseases						
Diphtheria		2	4.9	0	2 (0)	0.1
Influenza		2 (305)	31.9	57	461*****	36.2
Measles				0	1 (1)	0.1
Pertussis		(10)	2.5	8	86 (154)	7.1
Pneumococcal infection		(2)	2.5	0	7 (5)	0.5
Varicella (chicken pox)		2 (1)	7.4	0	22 (43)	1.7
Varicella (shingles)		3 (6)	14.7	14	130 (212)	8.2
Varicella (unspecified)				30	214 (222)	13.2
Vector-borne diseases						
Barmah Forest virus				0	1 (4)	0.1
Chikungunya				0	1 (1)	0.1
Dengue fever				1	20 (58)	1.5
Malaria				0	5 (3)	0.3
Ross River virus		1 (3)	7.4	0	15 (58)	1.9
Typhus				0	3 (3)	0.2
Other diseases						
Acute post-streptococcal glomerulonephritis (APS)				0	1 (1)	0.1
Legionellosis				1	2 (5)	0.2
Melioidosis		1	2.5	0	1 (0)	0.0
Meningococcal infection				0	2 (1)	0.1
Mpox				0	0 (1)	0.0
RSV	1	18 (13)	76.1	28	208 (276)	12.5
Tuberculosis				4	11 (15)	0.3
iGAS		2 (4)	14.7	0	16 (15)	1.0
Grand Total	1	116 (441)		341	3192 (4961)	

Statewide Salmonella notifications for past 8 weeks (by date of onset[2])

	Week Ending								Cumulative Total to end of Week 7	
	31/12	07/01	14/01	21/01	28/01	04/02	11/02	18/02	2026	2025
Salmonella Total	16	24	39	30	25	28	30	7	183	219
Serotype/Phage										
Salmonella Aberdeen	1								0	1
Salmonella Adelaide	1	1							1	1
Salmonella Agona	1				1				1	0
Salmonella Albany				1					1	0
Salmonella Anatum		1							1	0
Salmonella Bareilly		1							1	4
Salmonella Birkenhead			1						1	0
Salmonella Bovismorbificans			1						1	4
Salmonella Chester			2	3	1	2	1		9	9
Salmonella Choleraesuis bv Australia					1		1		2	1
Salmonella Choleraesuis bv Decatur	1	1							1	6
Salmonella Concord		1							1	0
Salmonella Eastbourne	1				1				1	1
Salmonella Emek	1								0	1
Salmonella Enteritidis	1	3	6	2	3	6	1		21	24
Salmonella Give	1		1						1	0
Salmonella Havana			1						1	1
Salmonella Heidelberg			1		1				2	2
Salmonella Infantis		1		1	3		1		6	7
Salmonella Kedougou			1						1	0
Salmonella Kentucky	1	2			1		1		4	6
Salmonella Kottbus					1				1	0
Salmonella London				1					1	0
Salmonella Mbandaka				1		1			2	0
Salmonella Montevideo				1					1	0
Salmonella Muenchen		1		1		1	1		4	4
Salmonella Muenster				1					1	1
Salmonella Muenster var 15+	1								0	0
Salmonella Newport				2					2	5
Salmonella Paratyphi B bv Java		1	5	4	2	1			13	23
Salmonella Poona			1			1	1		3	0
Salmonella Reading			1						1	4
Salmonella Saintpaul		1			2	2			5	7
Salmonella Senftenberg	1			1	1				2	2
Salmonella Singapore			1			1			2	0
Salmonella Stanley		1				1			2	7
Salmonella Tennessee		1	1	1		2			5	0
Salmonella Thompson				1			1		2	4
Salmonella Typhimurium	1	6	8	3	2	4	4		27	40
Salmonella Urbana						1			1	0
Salmonella Virchow			1	1	1	1			4	17
Salmonella Wandsworth			1						1	0
Salmonella Wangata		1							1	4
Salmonella Welikade			1						1	0
Salmonella Weltevreden			1	1		1			3	6
Salmonella Zanzibar			1						1	0
Salmonella species	3	1	2	4	4	3	18	7	39	27
Salmonella subsp II	1								0	0
Salmonella subsp II ser			1						1	0